

Message

From: Fernandez, Cristina [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=5D527D0DD7E24EB5B1777B00A8EE6B2A-CFERNAND]
Sent: 8/14/2018 2:35:56 PM
To: Fry, Jessica [fry.jessica@epa.gov]
CC: Arnold, David [arnold.david@epa.gov]
Subject: FW: Braun
Attachments: Braun 2014.pdf; Braun 2015.pdf; Braun 2016.pdf

FYI

Cristina Fernandez, Director
Air Protection Division (3AP00)
U. S. Environmental Protection Agency, Region III
1650 Arch Street
Philadelphia, PA 19103-2023
Work: (215) 814-2178
Cell: (215) 375-0847

From: Ramamurthy, Krishnan [mailto:kramamurth@pa.gov]
Sent: Tuesday, August 14, 2018 10:22 AM
To: Fernandez, Cristina <Fernandez.Cristina@epa.gov>
Subject: FW: Braun

Christina,
I have asked NERO staff to check with the facility to confirm the emission rates.

Krishnan Ramamurthy
Director | Bureau of Air Quality
PA Department of Environmental Protection
P.O Box 8468 | Harrisburg, PA 17105-8468
V 717.787.9702 | F 717.772.3415
www.depweb.state.pa.us

PRIVILEGED AND CONFIDENTIAL COMMUNICATION The information transmitted is intended only for the person or entity to whom it is addressed and may contain confidential and/or privileged material. Any use of this information other than by the intended recipient is prohibited. If you receive this message in error, please send a reply e-mail to the sender and delete the material from any and all computers.

From: Evans, Craig
Sent: Tuesday, August 14, 2018 10:19 AM
To: Ramamurthy, Krishnan <kramamurth@pa.gov>
Subject: FW: Braun

FYI

From: Evans, Craig
Sent: Wednesday, July 18, 2018 9:55 AM
To: Frederick, Norman <nfrederick@pa.gov>
Subject: FW: Braun

Check it out. I sent to Jessica Fry and copied her when I started typing in Frederick.

From: Evans, Craig
Sent: Tuesday, July 17, 2018 2:50 PM
To: 'chow.alice@epa.gov' <chow.alice@epa.gov>; 'fry.jessica@epa.gov' <fry.jessica@epa.gov>
Cc: Wejksznier, Mark <mwejksznier@pa.gov>; 'fry.jessica@epa.gov' <fry.jessica@epa.gov>; Kempa, Raymond <rkempa@pa.gov>; Houser, Mark (DEP) <mahouser@pa.gov>; Arikeri, Soumya (sarikeri@pa.gov) <sarikeri@pa.gov>; Trivedi, Viren <vtrivedi@pa.gov>
Subject: FW: Braun

Hi Alice,

Mark Houser ran a report on the emissions for the Braun Medical facility for 2014, 2015, and 2016. It appears the ethylene oxide (EO) emissions are different for the three years, although they are quite similar. If you would like, Soumya can send you their operating permit. Let me know if you want us to dig further into this facility.

Thanks,

Craig

Craig Evans | Environmental Group Manager
Department of Environmental Protection | Bureau of Air Quality
Rachel Carson State Office Building
400 Market Street | Harrisburg, PA 17101
Phone: 717.772.3995 | 717.772.2303
www.dep.state.pa.us

PRIVILEGED AND CONFIDENTIAL COMMUNICATION The information transmitted is intended only for the person or entity to whom it is addressed and may contain confidential and/or privileged material. Any use of this information other than by the intended recipient is prohibited. If you receive this message in error, please send a reply e-mail to the sender and delete the material from any and all computers.